

GG Tool Kit

GG0130 and GG0170 Quick Key

- **06 Independent:** no assistance from another person
- **05 Set-up/Clean-up assistance:** assistance from ONE other person before/after the activity but not during the actual performance of the activity
- **04 Supervision/touching assistance:** verbal/non-verbal cueing or touching/steadying/contact guard assistance from ONE person
- **03 Partial/moderate assistance:** physical assistance from ONE person who provides LESS than half the effort of the activity
- **02 Substantial/maximal assistance:** physical assistance from ONE person who provides MORE than half the effort of the activity
- **01 Dependence:** physical assistance from ONE person who provides ALL the effort to complete the activity, OR patient requires the assistance of TWO or MORE persons to complete the activity

Reason Not Attempted Quick Key

Code 09, Not applicable: if the patient did not perform this activity prior to the current illness, exacerbation, or injury.


Code 88, Not attempted due to medical condition or safety concerns: if the activity was non attempted due to medical condition or safety concerns

09 is the patient's baseline and 88 is a brand-new state

Code 10, Not attempted due to environment or lack of equipment

Does the Helper provide all of the effort OR the task requires the assistance of 2+ helpers?

Code the reason activity was not attempted if:
A patient does not attempt the activity AND
A helper does not complete the activity AND
The patient's usual status cannot be determined based on patient/caregiver report.




Code 09, Not applicable: if the patient did not perform this activity prior to the current illness, exacerbation, or injury.

Code 88, Not attempted due to medical condition or safety concerns: if the activity was not attempted due to medical condition or safety concerns.


Code 10, Not attempted due to environment or lack of equipment.

Code 07, Patient refused: if the patient refused to complete the activity.



Code using the 6-point scale based on the patient's ability to safely complete all relevant tasks, not just the majority. Do not consider use of devices.

Setting Discharge Goals



Difference between 09 and 88.

Code 09
Patient did not perform this activity prior to the current illness, exacerbation, or injury and still is unable. Examples: Quadriplegic patient; patient with preexisting and ongoing need of Hoyer lift.

Code 88
Not attempted due to medical or safety concerns. New condition related to current illness, exacerbation, or injury preventing activity from being performed safely on this assessment. Example: New compression fracture requiring bed rest.

Discharge Goals

Goals may be determined by the clinician's consideration of:

- Patient's medical condition(s).
- Expected treatments.
- Patient motivation to improve.
- Anticipated length of stay based on patient's condition(s).
- Prior self-care and mobility status.
- Current multiple diagnoses.
- Discussions with patient and family concerning discharge goals.
- Anticipated assistance for patient at planned discharge setting/home.