

FREE WEBINAR | HOME HEALTH

THE FINAL COUNTDOWN

Mastering M1800s for
OASIS & VBP success
before time runs out

THU, SEP 26 | 12:00 PM CT



simple.
a Netsmart solution

mcbee
part of Netsmart


Netsmart

YOUR SPEAKERS



Lisa Selman-Holman

VP of Education & Quality
McBee, part of Netsmart



Michelle Horner

Manager - Clinical Consulting & Education
McBee, part of Netsmart

Agenda

- Common Problems with M1800s (even after all these years)
- M1800s still used for Risk adjustment
- M1800s still used for Star reporting
- M1800s still used for payment
- Final Countdown for VBP

Common problems with M1800s

1.5.5.2 Conventions Specific to OASIS M1800 ADL/IADL Items

- Report the patient's physical and cognitive **ability to perform a task**. Do not report on the patient's preference or willingness to perform a specified task.
- The **level of ability** refers to the level of assistance (if any) that the patient requires to safely complete a specified task. Assistance includes verbal cues, reminders, supervision and/or stand-by or hands-on assistance.
- While the presence or absence of a **caregiver** may impact the way a patient carries out an activity, it **does not impact the assessing clinician's ability to assess the patient** to determine and report the level of assistance the patient requires to safely complete a task.
- Understand **what tasks are included and excluded** in each item and select the OASIS response based only on included tasks.
- If the patient's ability varies between the different tasks included in a multi-task item, report what is true in a **majority of the included tasks**, giving more weight to tasks that are more frequently performed.
- Consider **medical restrictions** when determining ability. For example, if the physician/allowed practitioner has ordered activity restrictions, consider this when selecting the best response to functional items related to ambulation, transferring, bathing, etc.

Limitations

Ability can be temporarily or permanently limited by:

- **physical impairments** (for example, limited range of motion, amputations, contractures, impaired balance)
- **emotional/cognitive/behavioral impairments** (for example, memory deficits, impaired judgment, fear)
- **sensory impairments** (for example, impaired vision or pain)
- **environmental barriers** (for example, stairs, narrow doorways, location where items are stored or location of sink, shower, toilet)



M1800, M1810, M1820

Majority of
Tasks

M1800. Grooming

Current ability to tend safely to personal hygiene needs (specifically: washing face and hands, hair care, shaving or make up, teeth or denture care, or fingernail care).

Enter Code

0. Able to groom self unaided, with or without the use of assistive devices or adapted methods.
1. Grooming utensils must be placed within reach before able to complete grooming activities.
2. Someone must assist the patient to groom self.
3. Patient depends entirely upon someone else for grooming needs.

M1810. Current Ability to Dress Upper Body safely (with or without dressing aids) including undergarments, pullovers, front-opening shirts and blouses, managing zippers, buttons, and snaps.

Enter Code

0. Able to get clothes out of closets and drawers, put them on and remove them from the upper body without assistance.
1. Able to dress upper body without assistance if clothing is laid out or handed to the patient.
2. Someone must help the patient put on upper body clothing.
3. Patient depends entirely upon another person to dress the upper body.

M1820. Current Ability to Dress Lower Body safely (with or without dressing aids) including undergarments, slacks, socks or nylons, shoes.

Enter Code

0. Able to obtain, put on, and remove clothing and shoes without assistance.
1. Able to dress lower body without assistance if clothing and shoes are laid out or handed to the patient.
2. Someone must help the patient put on undergarments, slacks, socks or nylons, and shoes.
3. Patient depends entirely upon another person to dress lower body.

M1800 Flow Chart

Trigger Words:
Human Assist


Remember:
Assist may be
verbal cues,
SBA, physical
assist



M1810, M1820 Flow chart

Trigger Words:
Human Assist

Remember:
Assist may be
verbal cues,
SBA, physical
assist



M1830

M1830. Bathing	
Current ability to wash entire body safely. <u>Excludes</u> grooming (washing face, washing hands, and shampooing hair).	
Enter Code <input type="checkbox"/>	<ol style="list-style-type: none">0. Able to bathe self in <u>shower or tub</u> independently, including getting in and out of tub/shower.1. With the use of devices, is able to bathe self in shower or tub independently, including getting in and out of the tub/shower.2. Able to bathe in shower or tub with the intermittent assistance of another person:<ol style="list-style-type: none">a. for intermittent supervision or encouragement or reminders, <u>OR</u>b. to get in and out of the shower or tub, <u>OR</u>c. for washing difficult to reach areas.3. Able to participate in bathing self in shower or tub, <u>but</u> requires presence of another person throughout the bath for assistance or supervision.4. Unable to use the shower or tub, but able to bathe self independently with or without the use of devices at the sink, in chair, or on commode.5. Unable to use the shower or tub, but able to participate in bathing self in bed, at the sink, in bedside chair, or on commode, with the assistance or supervision of another person.6. Unable to participate effectively in bathing and is bathed totally by another person.




Common Problems:

- Includes getting to the location
- Shower vs Sponge
- Too many response 4

M1830 Bathing

Trigger Words:
-Can patient get in Tub or Shower?
-With or Without Device?
-Continuous or Intermittent assist?



M1840

M1840. Toilet Transferring

Current ability to get to and from the toilet or bedside commode safely and transfer on and off toilet/commode.

Enter Code

0. **Able to get to and from the toilet and transfer independently with or without a device.**
1. **When reminded, assisted, or supervised by another person, able to get to and from the toilet and transfer.**
2. **Unable to get to and from the toilet but is able to use a bedside commode (with or without assistance).**
3. **Unable to get to and from the toilet or bedside commode but is able to use a bedpan/urinal independently.**
4. **Is totally dependent in toileting.**

- Do they have a commode? Bedpan?
- Can they get to the bathroom?
- Are you documenting that they are unable to get to the bathroom and on and off the toilet safely even with help?
- >50% of the time

M1840 Toilet Transfers

M1840 Toilet Transfers

Trigger Words:

-Toilet?

-Commode?

-Bed Pan?



0

- Independent with OR without Device
- NO Human Assist



1

- Can get to/from Toilet AND transfer WITH Human Assist
- Assist may be verbal cues, SBA, physical assist



2

- Cannot get to the Toilet
- Able to use Bedside Commode with or without assist



3

- Cannot use Toilet or Commode
- Can use Bedpan/Urinal Independently



4

- Cannot use toilet, commode or bedpan/urinal
- Equipment not present to allow assessment

M1850 - Underscoring

M1850. Transferring

Current ability to move safely from bed to chair, or ability to turn and position self in bed if patient is bedfast.

Enter Code

0. Able to independently transfer.
1. Able to transfer with minimal human assistance or with use of an assistive device.
2. Able to bear weight and pivot during the transfer process but unable to transfer self.
3. Unable to transfer self and is unable to bear weight or pivot when transferred by another person.
4. Bedfast, unable to transfer but is able to turn and position self in bed.
5. Bedfast, unable to transfer and is unable to turn and position self.

Common Problems:

- Too many 1s when should be a 2
- Not using 3 when appropriate

M1850 Transfers

Trigger Words:

-Device?

-Human Assist?

*Min Assist <25% of effort

*Weight bearing and pivoting can be done with arms!

*Ability can be limited by physical, cognitive, and sensory impairments as well as environmental barriers.

M1850 Transfers

0

- Complete Independence
- **NO** Human Assist OR Device

1

- Transfer WITH Minimal Human Assist **OR** Device NOT BOTH
- Assist may be verbal cues, SBA, physical assist

2

- Transfer with BOTH Device **AND** Assist
- Assist may be verbal cues, SBA, physical assist
- Transfer with Weight Bearing **AND** Pivot
- May be with No Device but MORE than Min Human Assist

3

- Unable to Bear Weight OR Pivot
- Hoyer Lift transfers captured here

4

- Bedfast
- Able to help turn

5

- Bedfast
- Unable to help turn

M1860 – Payment vs Quality

M1860. Ambulation/Locomotion	
Current ability to walk safely, once in a standing position, or use a wheelchair, once in a seated position, on a variety of surfaces.	
Enter Code <input type="checkbox"/>	<ol style="list-style-type: none">0. Able to independently walk on even and uneven surfaces and negotiate stairs with or without railings (specifically: needs no human assistance or assistive device).1. With the use of a one-handed device (for example, cane, single crutch, hemi-walker), able to independently walk on even and uneven surfaces and negotiate stairs with or without railings.2. Requires use of a two-handed device (for example, walker or crutches) to walk alone on a level surface and/or requires human supervision or assistance to negotiate stairs or steps or uneven surfaces.3. Able to walk only with the supervision or assistance of another person at all times.4. Chairfast, <u>unable</u> to ambulate but is able to wheel self independently.5. Chairfast, <u>unable</u> to ambulate and is unable to wheel self.6. Bedfast, unable to ambulate or be up in a chair.

Common Problems:

- Difference between 2 and 3
- When to score chairfast
- Quality Vs Reimbursement

M1860 Ambulation

Trigger Words:
-1 handed or 2 handed device?
-Intermittent or Continuous Assist?

Assist may be verbal cues, SBA, or physical

M1860 Ambulation

0

- Complete Independence
- NO Human Assist OR Device on any surface or on stairs

1

- One Handed Device
- NO Human Assist
- Even and Uneven surfaces and stairs

2

- 2 Handed Device With or Without assistance
- With or without a device requiring INTERMITTENT Human Assistance on Stairs or uneven surfaces

3

- CONTINUOUS Human Assist (verbal, SBA, or physical) with OR without device
- Pt has NO Device and is not safe walking alone
- Ambulatory – not for chairfast or Bedbound patients

4

- Unable to ambulate safely with human assist and/or device
- 1 or 2 steps only = CHAIRFAST
- Able to wheel self INDEPENDENTLY

5

- Unable to ambulate safely with human assist and/or device
- 1 or 2 steps only = CHAIRFAST
- UNABLE to wheel self INDEPENDENTLY or does not have a wheelchair

6

- Unable to ambulate
- Unable to tolerate being out of bed

POLL #1

Mr. J uses his walker with moderate assistance from you to get to the restroom, sit on the toilet, and stand back up with maximum assistance. **What should you score Mr. J on M1840 Toileting?**

1. When reminded, assisted, or supervised by another person, able to get to and from the toilet and transfer.
2. Unable to get to and from the toilet but is able to use a bedside commode (with or without assistance).
3. Unable to get to and from the toilet or bedside commode but is able to use a bedpan/urinal independently.
4. Is totally dependent in toileting.

What are M1800s used for?

Which OASIS Items in 2025?

Star

(Outcome/Process)

- M0102/M0104
- M1860
- M1850
- M1830
- M1400
- M2020



PDGM

(Payment)

- M1033
- M1800
- M1810
- M1820
- M1830
- M1840
- M1850
- M1860



VBP

(Outcomes)

- M1800, M1810, M1820, M1830, M1845, M1870
- M1840, M1850, M1860
- M2420
- M1400
- M2020

+/- 5%

2025 VBP

(Outcomes)

- M1400
- M2020
- GG0130A
- GG0130B
- GG0130C
- GG0170A
- GG0170C
- GG0170D
- GG0170E
- GG0170F
- GG0170I
- GG0170J
- GG0170R

+/- 5%

CHANGES in HH VBP Quality Measures

Current Measure Category	Measures Removed	Replacement Measure Category	Replacement Measures 2025
OASIS-based	TNC Change in Self-Care	OASIS-based	Discharge Function Score (DC Function)
	TNC Change in Mobility		
OASIS-based	Discharged to Community	Claims-based	Discharge to Community – Post Acute Care (DTC-PAC)
Claims-based	Acute Care Hospitalization (ACH)	Claims-based	Home Health Within-Stay Potentially Preventable Hospitalization (PPH)
	Emergency Department Use without Hospitalization (ED Use)		

DC Function Measure: OASIS Items

Item	Item Description
GG0130A	Eating
GG0130B	Oral Hygiene
GG0130C	Toileting Hygiene
GG0170A	Roll Left and Right
GG0170C	Lying to Sitting on Side
GG0170D	Sit to Stand
GG0170E	Chair/Bed-to-Chair Transfer
GG0170F	Toilet Transfer
GG0170I	Walk 10 Feet
GG0170J	Walk 50 Feet with 2 Turns
GG0170R	Wheel 50 Feet with 2 Turns

- 10 GG items used to score 10-60
- The observed discharge function score is the sum of individual function items at discharge if scored with a 1-6.
- If an ANA score is used the imputation occurs
- Different locomotion items are used if the patient uses a wheelchair than for the remaining patients.

Quality of Patient Care Star Rating

To have a Quality of Patient Care Star Rating, HHAs must have submitted data to calculate at least 5 of 7 measures

Effective May 2024, CMS replaced the Acute Care Hospitalization measure with the Home Health Within-Stay Potentially Preventable Hospitalization measure.

July Reports: OASIS data from January 1, 2023 to December 31, 2023; claims data from January 1, 2023 to December 31, 2023.

For a measure to be reported on Care Compare, HHAs must have data for at least 20 completed quality episodes or stays with end dates within the 12-month reporting period.

Completed episodes for the OASIS-based measures are paired start or resumption of care and end of care OASIS assessments.

7 Measures of Quality for Star Ratings

Timely Initiation of
Care (process
measure)

Improvement in
Ambulation (outcome
measure)

Improvement in Bed
Transferring (outcome
measure)

Improvement in
Bathing (outcome
measure)

Improvement in
Shortness of Breath
(outcome measure)

Improvement in
Management of Oral
Medications (outcome
measure)

Potentially
preventable
hospitalization
(outcome measure)

Sample Star Rating

		Measure Score Cut Points by Initial Decile Rating							
1	Initial Group Rating	Measure 1. Timely Initiation of Care	Measure 2. Improvement in Management of Oral Medications	Measure 3. Improvement in Ambulation	Measure 4. Improvement in Bed Transferring	Measure 5. Improvement in Bathing	Measure 6. Improvement in Dyspnea	Measure 7. Home Health Within-Stay Potentially Preventable Hospitalization (PPH)	
2	0.5	0.0-82.6	0.0-55.0	0.0-61.7	0.0-59.9	0.0-66.2	0.0-62.1	14.0-100.0	
3	1.0	82.7-90.0	55.1-67.5	61.8-73.2	60.0-72.6	66.3-77.3	62.2-75.5	12.4-13.9	
4	1.5	90.1-94.1	67.6-75.4	73.3-79.6	72.7-80.0	77.4-82.9	75.6-82.2	11.3-12.3	
5	2.0	94.2-96.2	75.5-80.4	79.7-83.4	80.1-84.5	83.0-86.4	82.3-86.2	10.5-11.2	
6	2.5	96.3-97.7	80.5-83.9	83.5-86.2	84.6-87.2	86.5-88.7	86.3-88.8	9.8-10.4	
7	3.0	97.8-98.7	84.0-86.9	86.3-88.5	87.3-89.2	88.8-90.8	88.9-90.9	9.2-9.7	
8	3.5	98.8-99.3	87.0-89.2	88.6-90.6	89.3-90.9	90.9-92.6	91.0-92.6	8.6-9.1	
9	4.0	99.4-99.7	89.3-91.7	90.7-92.8	91.0-92.8	92.7-94.5	92.7-94.5	7.9-8.5	
10	4.5	99.8-99.9	91.8-95.7	92.9-95.7	92.9-95.4	94.6-97.4	94.6-97.7	7.1-7.8	
11	5.0	100.0-100.0	95.8-100.0	95.8-100.0	95.5-100.0	97.5-100.0	97.8-100.0	0.0-7.0	
12	Your HHA Score	99.2	90.9	89.9	92.2	92.4	90.2	12.9	
13	Your Initial Group Rating	3.5	4.0	3.5	4.0	3.5	3.0	1.0	
14	Your Episodes in the Numerator	3,235	1,965	1,995	2,026	2,068	1,776	133	
15	Your Episodes in the Denominator	3,260	2,129	2,189	2,191	2,195	1,938	1,022	
16	National (All HHA) Middle Score	97.8	83.9	86.3	87.2	88.8	88.9	9.8	
17	Your Statistical Test Probability Value (p-value)	0.000	0.000	0.000	0.000	0.000	0.036	0.001	
18	Your Statistical Test Results (Is the p-value < 0.05?)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
19	Your HHA Adjusted Group Rating	3.5	4.0	3.5	4.0	3.5	3.0	1.0 ²	
20	Your Average Adjusted Rating					3.2			
21	Your Average Adjusted Rating Rounded					3.0			
22	Your Quality of Patient Care Star Rating (1.0 to 5.0)					□□□□ (3.5 stars)			


Proposed OASIS Points Table CY2025

OASIS Item	OASIS Answer	CY2023	CY2024	CY2025
M1800	0 or 1	0	0	0
	2 or 3	3	3	3
M1810	0 or 1	0	0	0
	2 or 3	5	5	5
M1820	0 or 1	0	0	0
	2	4	3	3
	3	12	11	11
M1830	0 or 1	0	0	0
	2	2	0	3
	3 or 4	10	7	10
	5 or 6	17	14	18
M1840	0 or 1	0	0	0
	2, 3 or 4	6	6	5
M1850	0	0	0	0
	1	3	3	1
	2,3,4 or 5	6	6	4
M1860	0 or 1	0	0	0
	2	6	6	6
	3	5	4	2
	4,5, or 6	20	20	18
M1033	4 or more items checked	10	11	12

Proposed 2025 Functional Impairment Threshold Visual Chart

Points	MMTA AFTER	MMTA CARDIAC	MMTA ENDO	MMT GI/GU	MMTA INFECT	MMTA RESP	MMTA OTHER	Neuro Rehab	Wound	Complex	MS Rehab	BH
0 - 27	Low	Low	Low	Low	Low	Low	Low	Low	Low	Low	Low	Low
28	Medium	Medium	Medium	Low	Low	Low	Low	Low	Low	Low	Low	Low
29	Medium	Medium	Medium	Low	Low	Low	Medium	Low	Low	Low	Low	Medium
30	Medium	Medium	Medium	Low	Low	Low	Medium	Low	Low	Medium	Medium	Medium
31	Medium	Medium	Medium	Low	Low	Low	Medium	Low	Low	Medium	Medium	Medium
32	Medium	Medium	Medium	Low	Medium	Low	Medium	Low	Low	Medium	Medium	Medium
33	Medium	Medium	Medium	Medium	Medium	Medium	Medium	Low	Medium	Medium	Medium	Medium
34	Medium	Medium	Medium	Medium	Medium	Medium	Medium	Medium	Medium	Medium	Medium	Medium
35	Medium	Medium	Medium	Medium	Medium	Medium	Medium	Medium	Medium	Medium	Medium	Medium
36	Medium	Medium	Medium	Medium	Medium	Medium	Medium	Medium	Medium	Medium	Medium	Medium
37	Medium	Medium	Medium	Medium	Medium	Medium	Medium	Medium	Medium	Medium	Medium	Medium
38	Medium	Medium	Medium	Medium	Medium	Medium	Medium	Medium	Medium	Medium	Medium	Medium
39	Medium	Medium	Medium	Medium	Medium	Medium	Medium	Medium	Medium	Medium	Medium	Medium
40	Medium	Medium	Medium	Medium	Medium	Medium	Medium	Medium	Medium	Medium	Medium	Medium
41	High	High	High	Medium	Medium	Medium	Medium	Medium	Medium	Medium	Medium	Medium
42	High	High	High	Medium	Medium	Medium	Medium	Medium	Medium	Medium	Medium	Medium
43	High	High	High	Medium	Medium	Medium	Medium	Medium	Medium	Medium	Medium	Medium
44	High	High	High	Medium	Medium	Medium	Medium	Medium	Medium	Medium	High	Medium
45	High	High	High	Medium	High	High	High	Medium	Medium	Medium	High	High
46	High	High	High	Medium	High	High	High	Medium	Medium	Medium	High	High
47	High	High	High	Medium	High	High	High	Medium	Medium	Medium	High	High
48	High	High	High	High	High	High	High	Medium	Medium	Medium	High	High
49	High	High	High	High	High	High	High	Medium	High	Medium	High	High
50	High	High	High	High	High	High	High	High	High	Medium	High	High
51	High	High	High	High	High	High	High	High	High	Medium	High	High
52	High	High	High	High	High	High	High	High	High	Medium	High	High
53+	High	High	High	High	High	High	High	High	High	High	High	High


Functional Score Percentages




2025 Star Rating Data

Periods per Episode	1.67
Revenue per Period	\$1,937
Revenue per Episode	\$3,225
Visits per Period	7.84
Visits per Episode	13.06
Percent Early Periods	32.59%
Average Early Case Mix	1.26
Average Case Mix	0.99
LUPA Rate	7.25%
Percent Outliers	3.72%
Percent Functional Low	25.02%
Percent Functional Medium	32.22%
Percent Functional High	42.76%
Average Wage Index	0.99
Recert Rate	28.00%
Total Revenue 2025	\$2,979,070,403

Impact of Inaccurate OASIS Scoring (\$400)



Impact of Inaccurate OASIS Scoring (\$200)



IPR/APR

Performance Summary for TNC Change Measures [b]

Your HHA's count of eligible quality episodes [c]	102					
OASIS Item [d]	Changes in OASIS Item Responses between SOC/ROC and EOC as a Percent of Eligible Quality Episodes [e]					
	YOUR HHA			AVERAGE FOR YOUR HHA'S COHORT [f]		
	% No Change	% Positive Change	% Negative Change	% No Change	% Positive Change	% Negative Change
Total Normalized Composite (TNC) Change in Mobility						
M1840 Toilet Transferring (0-4)	16%	81%	3%	28%	71%	1%
M1850 Transferring (0-5)	15%	82%	3%	21%	78%	1%
M1860 Ambulation/Locomotion (0-6)	14%	81%	5%	19%	79%	1%
Total Normalized Composite (TNC) Change in Self-Care						
M1800 Grooming (0-3)	8%	92%	0%	19%	80%	1%
M1810 Current Ability to Dress Upper Body (0-3)	7%	93%	0%	18%	81%	1%
M1820 Current Ability to Dress Lower Body (0-3)	8%	92%	0%	19%	80%	1%
M1830 Bathing (0-6)	11%	89%	0%	16%	83%	1%
M1845 Toileting Hygiene (0-3)	9%	91%	0%	20%	79%	1%
M1870 Feeding or Eating (0-5)	31%	68%	1%	44%	54%	2%

iQIES Preview of HHA Quality Measure Scores to be posted on Care Compare

End Result Outcome Measures (REPORTING PERIOD: 01/01/2023 - 12/31/2023)

Measure Name	Number of HHA Episodes Included in the Numerator	Number of HHA Episodes Included in the Denominator	Agency Average %	State Average %	National Average %
Improvement in Bathing	1,348	1,578	87.64	86.27	89.04
Improvement in Bed Transfer	1,386	1,575	84.85	86.09	88.20
Improvement in Ambulation/Locomotion	1,282	1,574	82.08	84.69	87.31
Improvement in Management of Oral Medications	1,040	1,567	76.50	80.43	85.57
Improvement in Dyspnea	1,095	1,422	80.86	87.55	89.40



SimpleConnect™ for Home Health



Batch Review: 1814 1 Assessments

⚠️ 1 ⓘ 1

Pending Approval

Download ▾



- Collapse All



(01) SOC - 01/01/2023



Asmt#: 2697 HHA#: 41

⚠️ 1 ⓘ 1

M0090: 01/03/2023

Feeding Tube Use Inconsistent

⚠️ Feeding or eating indicates patient receives nutrients through a nasogastric tube or gastrostomy but nutritional approaches does not indicate receiving nutritional approaches through a feeding tube. Rule#: 497 ^



Errors



Item	Response
K0520B1 - Feeding Tube: Admit	0 - No
M1870 - Feeding	4 - Tube Feeding

Timely Initiation of Care




This assessment failed the Timely Initiation of Care measure criteria. Rule#: 691 ▾



SimpleConnect™ for Home Health



 **Batch Review: 1818** 1 Assessments Download 



 3 [- Collapse All](#) 


[Pending Approval](#)



  (03) ROC - 10/01/2023  Asmt#: 2701 HHA#: 41



 3 M0090: 10/01/2023 



Dressing lower with bathing impairment  

 M1820 includes getting dressing items out from where they are routinely stored, so if patient requires assistance to ambulate or locomote in wheelchair, consider if help is needed to get to closet/dresser and remove dressing items. Rule#: 368 

Dyspnea inconsistent with oxygen 

 Dyspnea indicates patient is short of breath with exertion or at rest but oxygen does not indicate receiving oxygen. Rule#: 517 

Grooming with current ambulation  

 M1800 includes getting to the location where grooming takes place and accessing grooming tools. If patient cannot get to the grooming location and access grooming tools without assistance, cannot be response 0. Rule#: 365 

Errors

Item	Response
M1800 - Grooming	0 - Independent
M1860 - Ambulation	5 - Chairfast, Dependent

SimpleConnect™ for Home Health

Transmission Workflow



SimpleConnect™ for Home Health

Improve OASIS-E compliance while simplifying workflow

Improve workflow with real-time insights

Optimize OASIS data through predictive scrubbing and analytics. Review data across episodes, patients and agency locations. Streamline and automate OASIS submissions across one or multiple agencies. Manage all your CASPER reports and iQIES connections in one place.

Optimize reimbursement while improving care

Get an in-depth view of episode management and its effect on revenue. Use simple diagnosis coding tools to optimize reimbursement. By improving episode management and OASIS accuracy, you can guarantee the best outcomes for the patients in your care.

POLL #2

In 2025, the M1800s will be used for:

- A. VBP, Star Ratings and Payment
- B. Payment only
- C. Star Ratings and Payment
- D. VBP and Star Ratings

What should you be doing now?

- Know your data! Look at your Interim Performance Reports, Annual Performance Reports, Star Rating reports, PDGM Impact Reports
- Educate staff on accurate and complete documentation and OASIS scoring
- Educate staff on PDGM, Star Ratings, and VBP....why what they do matters and how the OASIS can help guide them in care planning

Meet with us...



Michelle Horner

Post-Acute Education Manager

MichelleHorner@McBeeAssociates.com



Lisa Selman-Holman

VP of Education & Quality

LisaSelman-Holman@McBeeAssociates.com

We would love to meet with you! Set up a free consultation with us to...

- Identify key metrics to optimize quality and financial outcomes
- Review your Value-Based Purchasing Interim/Annual Performance Report (IPR/APR)



mcb Post-Acute Academy

Self-paced, on-demand
post-acute education to
maximize your potential.

ICD-10 Coding, OASIS, VBP & More

www.postacuteacademy.com





SimpleConnect™ for Home Health

One simple solution to analyze, scrub and submit OASIS-E files.



- Automated OASIS-E submission to CMS
- iQIES report center for all your agencies
- OASIS scrubbing for complete compliance
- Simple OASIS scrubber rule management



OASIS-E and PDGM just got simpler.

Scan the code to learn more
or visit SimpleHomeHealth.com

QUESTIONS



simple.
a Netsmart solution

mcbee
part of Netsmart


Netsmart

Thanks for attending!

Recording & slides available:

www.simple.health/M1800s



simple.
a Netsmart solution

mcbee
part of Netsmart


Netsmart